



Monoclonal Anti-human EZFIT Antibody

ORDERING INFORMATION

Catalog Number: 2ZK9716H

Clone: K9716

GenBank: AF269249

Ig Class: mouse IgG_{2A}

Volume: 100 µL

Concentration: 1 mg/mL

Formulation: A liquid formulation in
physiologic saline (contains
0.1% NaN₃)

Storage: ≤ -20° C

Specificity: human EZFIT

Applications: Western blot
Direct ELISA

Preparation

Produced in BALB/c mouse ascites inoculated with a hybridoma of spleen cells of a BALB/c mouse immunized with recombinant human EZFIT (endothelial zinc finger protein induced by TNF-α) (amino acids 6 - 199) and mouse myeloma cells (NS-1) (Mataki, C. *et al.* (2000) J. Atheroscler. Thromb. 7(2):97). The IgG fraction of ascites fluid was purified by ammonium sulfate fractionation.

Formulation

A liquid formulation in physiologic saline (contains 0.1% NaN₃).

Storage

This antibody is stable for greater than six months when held at -20° C to -70° C **in a manual defrost freezer**. Upon thawing, the antibody can be stored at 2° - 8° C for at least 1 month without detectable loss of activity.

Avoid repeated freeze-thaw cycles.

Specificity

This antibody specifically reacts with human EZFIT. Not yet tested in other species.

Applications

Western Blot - This antibody can be used at 2 µg/mL with the appropriate secondary reagents to detect human EZFIT.

Direct ELISA - This antibody can be used at 0.1 µg/mL with the appropriate secondary reagents to detect human EZFIT.

Optimal dilutions should be determined by each laboratory for each application.



Manufactured by:

Perseus Proteomics, Inc.
4-7-6, Komaba, Meguro-ku
Tokyo 153-0041 Japan
Tel: +81-3-5738-1705
Fax: +81-3-3481-5760
E-mail: info@ppmx.com
<http://www.ppmx.com>

Note: Sodium azide may react with lead and copper plumbing to form explosive metal azides. Flush with large amounts of water during disposal.

FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

**R&D Systems, Inc.
1-800-343-7475**