

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human TROY/TNFRSF19 in direct ELISAs and Western blots. In direct ELISAs, approximately 20% cross-reactivity with recombinant mouse (rm) TROY is observed and less than 1% cross-reactivity with recombinant human (rh) 4-1BB, rhBA
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>S. frugiperda</i> insect ovarian cell line Sf 21-derived recombinant human TROY/TNFRSF19 Glu30-Leu170 Accession # AAF71828
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

TROY, also known as TAJ (Toxicity and JNK inducer), and TRADE, is a type I transmembrane glycoprotein belonging to the tumor necrosis factor receptor superfamily (TNFRSF) and has been designated TNFRSF19. Two alternatively spliced transcript variants for human TROY, encoding a 423 amino acid (aa) residues isoforms 1 precursor and a 417 aa isoform 2 precursor have been cloned. The two isoforms differ in their cytoplasmic C-terminal residues. In mouse, a soluble TROY isoform and a transmembrane isoform with a short cytoplasmic tail have also been described. Human TROY isoform 1 cDNA encodes a precursor protein with a putative 23 aa signal peptide, a 147 aa extracellular domain containing two TNF receptor cysteine-rich domains, a 23 aa transmembrane domain and a 230 aa cytoplasmic region containing no death domain. The extracellular domain of human TROY shares 92% aa sequence identity with that of the mouse TROY. In their cytoplasmic domains, the two proteins also share 57% sequence homology. Among TNFRSF members, the extracellular region of TROY is most closely related to EDAR, exhibiting 33% homology. TROY expression has been found in many different embryonic and adult tissues, and is particularly strong in embryonic brain and skin. TROY has been shown to interact with TRAF family members, and to activate the JNK signaling pathway. Although TROY lacks a death domain, it can induce apoptosis by a caspase-independent mechanism. It has been suggested that TROY has pleiotropic functions during embryonic development as well as in adults, particularly in the development of skin and hair follicles. The ligand for TROY has not been identified (1-3).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc., and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.