

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse NOV/CCN3 in direct ELISAs and Western blots. In Western blots, approximately 20% cross-reactivity with recombinant human NOV is observed and less than 1% cross-reactivity with recombinant mouse WISP-1 is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse NOV/CCN3 Ser26-Ile354 Accession # Q64299
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

NOV, also called CCN3, is one of six CCN (CYR61/CTGF/NOV) secreted proteins which share a common multimodular organization (1-4). NOV/CCN3 contains an N-terminal IGF1R domain that appears to be non-functional and a vWF type C and thrombospondin type I domain which mediate oligomerization and matrix interactions, respectively (1, 2). The C-terminal cysteine knot domain interacts with several partners, including the matrix protein fibulin 1C (5), Notch-1 (6), and CCN2, which it may heterodimerize (2). NOV/CCN3 also interacts with the gap junction protein Connexin43 and mediates suppression of proliferation (7). It also binds the calcium binding protein S100A4 and promotes calcium channel activation (8). The 354 amino acid (aa), 44 kDa human NOV/CCN3 shares 80% aa identity with mouse, rat and canine NOV/CCN3, and 78% aa identity with bovine NOV/CCN3. NOV/CCN3 also shows 38-50% aa identity with other family members including WISP proteins, except for WISP-2/CCN5 which lacks the cysteine knot (1). NOV/CCN3 is widely expressed developmentally, especially in muscle, endothelium, nervous system, adrenal cortex and chondrocytes (1-4). In transformed cells, a 32 kDa N-terminally truncated form lacks the signal sequence is localized to the nucleus. Truncation allows a C-terminal nuclear localization sequence to be active (9). Nuclear NOV/CCN3 acts as a transcriptional repressor but promotes proliferation, presumably by interfering with growth control (9). Full length NOV/CCN3 is a secreted matricellular protein which inhibits cell growth. Interaction of NOV/CCN3 with integrins $\alpha_5\beta_3$ and $\alpha_5\beta_1$ mediates endothelial cell adhesion, induces chemotaxis and promotes angiogenesis (10, 11). Over-expression of NOV/CCN3 downregulates myogenic genes such as MyoD (12).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.