

DESCRIPTION


Species Reactivity	Human
Specificity	Detects human CD300b/LMIR5 in direct ELISAs and Western blots. In direct ELISAs and Western blots, approximately 25% cross-reactivity with recombinant human (rh) LMIR3 is observed and less than 5% cross-reactivity with rhLMIR1, -2, -6 and recombinant mouse LMIR4 and -5 is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant human CD300b/LMIR5 lle55-His187 Accession # NP_777552
Formulation	Lyophilized from a 0.2 µm filtered solution in PBS with Trehalose. See Certificate of Analysis for details. *Small pack size (-SP) is supplied either lyophilized or as a 0.2 µm filtered solution in PBS.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

	Recommended Concentration	Sample
Western Blot	0.1 µg/mL	Recombinant Human CD300b/LMIR5
Flow Cytometry	2.5 µg/10 ⁶ cells	See Below
CyTOF-ready	Ready to be labeled using established conjugation methods. No BSA or other carrier proteins that could interfere with conjugation.	

DATA



PREPARATION AND STORAGE

Reconstitution	Reconstitute at 0.2 mg/mL in sterile PBS.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below. *Small pack size (-SP) is shipped with polar packs. Upon receipt, store it immediately at -20 to -70 °C
Stability & Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. <ul style="list-style-type: none"> ● 12 months from date of receipt, -20 to -70 °C as supplied. ● 1 month, 2 to 8 °C under sterile conditions after reconstitution. ● 6 months, -20 to -70 °C under sterile conditions after reconstitution.

BACKGROUND

CD300b, also known as LMIR5, CLM7 (CMRF-35-like Molecule 7) and TREM5 (Triggering Receptor Expressed on Myeloid cells 5) belongs to a multigene family whose members are closely mapped to a region of human chromosome 17 and mouse chromosome 11. These genes encode type I membrane proteins with a single extracellular Ig-like domain and the proteins are expressed widely in leukocytes. LMIR/CD300 family proteins are immunoregulatory signaling molecules that either have cytoplasmic ITIM motifs or can interact with ITAM motif-bearing molecules through a characteristic transmembrane domain containing positively charged amino acid residues. CD300b/LMIR5 is an ITAM adaptor-associated receptor with a short cytoplasmic region. Human and mouse CD300b/LMIR5 share approximately 45% amino acid sequence identity.