

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse COCO in direct ELISAs and Western blots. In direct ELISAs and Western blots, approximately 10% cross-reactivity with recombinant human COCO is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> - and mouse myeloma cell line NS0-derived recombinant mouse COCO Arg24-Leu185 Accession # NP_957679
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

COCO, also known as DAND5, Dante, and CKTSF1B3, is a member of the DAN domain family of BMP antagonists that includes DAN (DAND1), Gremlin/Drm (DAND2), PRDC (Protein Related to Dan and Cerberus; DAND3), and Cerberus (DAND4). DAN family members contain a cysteine knot domain that is homologous to that found in other TGF-β superfamily ligands such as BMPs that play important roles in tissue morphogenesis and developmental processes (1-6). The mouse COCO cDNA encodes a 185 amino acid (aa) precursor with a 23 aa signal sequence (7, 8). COCO has eight Cys residues in the cysteine knot which places it in the CAN (or eight-membered ring) subfamily of BMP antagonists along with the other DAN family proteins (1). Mature mouse COCO shares 62% and 27% aa sequence identity with human and *Xenopus* COCO, respectively. It shares 22%-27% aa sequence identity with mouse DAN, Gremlin, PRDC, and Cerberus. In *Xenopus* embryos, COCO is expressed by pluripotent ectodermal cells. Expression is abruptly downregulated prior to gastrulation, and the loss of ectodermal cell pluripotency is coincident with COCO downregulation (7). COCO is required for *Xenopus* left-right axis formation (9). It functions predominantly on the right side of the embryo, although it is equally expressed on both left and right sides (9). COCO binds and inhibits activin, BMP-4, GDF-3/derrière, Wnt8, and Xnr1 (7, 9). In mouse, COCO expression is elevated on the right side of Henson's node at the early somite stage, in contrast to the left side expression of Nodal (8).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.