

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human and mouse CtBP1 in Western blots. In Western blots, less than 1% cross-reactivity with recombinant human CtBP2 is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human CtBP1 Met1-Leu440 Accession # Q13363
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

CtBP1 (C terminal binding protein 1) was originally identified through its binding to the Adenovirus E1A oncoprotein via a 5 amino acid motif, PLDLS, which repressed E1A induced oncogenesis and cellular transformation. In the nucleus, CtBP1 functions predominantly as a transcriptional corepressor in conjunction with a variety of DNA binding repressors. Interaction with Pnn/DRS may modulate repression of E-cadherin by CtBP1. Recruitment of CtBP1 and HDAC to Smad1/Smad4 complexes by Smad6 results in inhibition of BMP stimulated gene expression. The interaction of CtBP1 with polycomb group proteins suggests it is a component of the chromatin remodeling machinery and transcriptional repression. Cytosolic CtBP1 has also been shown to be involved with CNS synapses, membrane trafficking, and regulation of the microtubule cytoskeleton.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.