

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human Semaphorin 4A in direct ELISAs and Western blots. In direct ELISAs, approximately 80% cross-reactivity with recombinant mouse Semaphorin 4A is observed, and less than 1% cross-reactivity with recombinant human (rh) Semaphorin 4B, rhSemaphorin 4D, and rhSemaphorin 4F.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant human Semaphorin 4A Gly32-His683 Accession # Q9H3S1
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
	*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Sema4A (Semaphorin 4A; also Sema B) is a class IV member of the semaphorin family of proteins. It is expressed by dendritic cells, monocytes, T cells, B cells, astrocytes and oligodendrocytes, plus visceral smooth muscle and bronchial epithelial cells. It reportedly binds to Tim-2 and Plexin D1 and B1. In the immune system, it serves to activate naïve T cells and induce a Th1 phenotype. In the nervous system, it induces growth cone collapse in neurons. Mature human Sema4A is an 80 kDa (predicted) type I transmembrane glycoprotein that is 729 amino acids (aa) in length (aa 33-761). It contains a 651 aa extracellular region (aa 33-683) that is characterized by the presence of one Sema domain (aa 36-494), a PSI region (aa 496-528), and an Ig-like C2-type domain (aa 573-631). The 57 aa cytoplasmic region contains two potential phosphorylation sites at Thr744 and Ser747. There are two potential splice variants. One contains a 37 aa substitution for aa 293-328, while a second contains an alternative start site at Met100 coupled to a deletion of aa 122-154. Sema4A is reportedly cleaved to generate both a monomeric and a dimeric soluble isoforms. Over aa 32-683, human Sema4A shares 86% aa identity with mouse Sema4A.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.