

DESCRIPTION

Species Reactivity	Human
Specificity	Detects endogenous human Talin2 in Western blots. In Western blots, no cross-reactivity to recombinant human Talin1 was detected.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human Talin2 Ala977-Arg1183 Accession # Q9Y4G6
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Talin2 (*talus*; Latin for ankle, the shape of a focal adhesion plaque complex) is a 240 kDa cytoplasmic focal adhesion molecule. It likely forms dimers that link integrins to the actin cytoskeleton. Human Talin2 is 2542 amino acids (aa) in length. It contains one globular N-terminal FERM domain that binds integrin cytodomains (aa 88-406), followed by an Ala-rich region (aa 861-1193) and a C-terminal actin-binding domain (aa 2321-2530). Human Talin2 has three potential variants. Two show alternate start sites at Met19 and Met1153, while a third has an alternate start site at Met1608 accompanied by a deletion of aa 1748-1790. Over aa's 977-1183, human Talin2 shares 99% and 97% aa identity with canine and mouse Talin2, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.