

DESCRIPTION

Species Reactivity	Human/Mouse/Rat
Specificity	Detects human, mouse and rat AlphaB Crystallin/CRYAB in Western blots. In Western blots, less than 1% cross-reactivity with recombinant human CRYAA is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human AlphaB Crystallin/CRYAB Met1-Lys175 Accession # P02511
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

AlphaB Crystallin (CRYAB, also known as Crystallin α-B chain and HspB5) is a 22-23 kDa member of the HSP20 family of proteins. It has widespread expression in many tissues in addition to lens epithelium, where it noncovalently oligomerizes with CRY-αA to generate a transparent 350-1000 kDa α-Crystallin protein complex. Human CRYAB is 175 amino acids (aa) in length. There is a α-Crystallin Hsp domain over aa 66-149. Multiple posttranslational modifications may exist. The N-terminal Met and MetAspIleAlaIleHis sequence is occasionally cleaved. There is also phosphorylation at Ser45 and 59, potential O-GlcNAc modification at Thr158, 162 or 170, and acetylation at Lys92. There is an alternate start site at Met68 that may be accompanied by a 47 aa substitution for aa 109-175. Full-length human CRYAB is 54% aa identical to CRY-AlphaA, and 98% aa identical to mouse CRYAB.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.