

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human LRRTM1 in direct ELISAs and Western blots. In direct ELISAs, approximately 10% cross reactivity with recombinant human (rh) LRRTM2 is observed, and less than 5% cross reactivity rhLRRTM3 and rhLRRTM4 is observed.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant human LRRTM1 Ala35-Ile425 Accession # Q86UE6
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Human LRRTM1 (leucine-rich repeat transmembrane neuronal 1) is a 58-59 kDa (predicted) type I transmembrane protein, that belongs to the LRRTM family of proteins within the leucine-rich repeat (LRR) superfamily (1). It is synthesized as a precursor with a 34 amino acid (aa) signal sequence, a 393 aa luminal region, a 21 aa transmembrane region, and a 74 aa cytoplasmic region. The luminal portion of LRRTM1 contains three N-linked glycosylation sites and 10 LRRs flanked by cysteine-rich domains (1). The cytoplasmic region contains several tyrosine, serine, and threonine residues that have potential to be phosphorylated and thus to be involved in signal transduction (1). The C-terminal also contains a conserved glutamic acid-cysteine-glutamic acid-valine sequence for potential interaction with PDZ proteins (1-2). Mature human LRRTM1 is 97% aa identical to mouse LRRTM1. LRRTM1 is localized to the endoplasmic reticulum (3). In the mouse, beginning at 9dpc, low levels of LRRTM1 can be detected in the overlying ectoderm of the limb bud, dorsal otic vesicle, forebrain, midbrain, hindbrain, and in neural progenitors in the central neural tube (2). In the adult brain, it is highly expressed in the brain and salivary gland, and is detected at intermediate levels in the cerebellum, spinal chord, stomach, testis, and uterus (1). Functionally, LRRTM1 may be involved in the formation of the CNS and maintenance of CNS structure and function in the adult brain (1). In addition, LRRTM1 has been shown to be a maternally suppressed gene that is associated paternally with handedness and schizophrenia (3).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.