

DESCRIPTION

Species Reactivity	Human
Specificity	Detects endogenous human Bcl9-2 in Western blots.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human Bcl9-2 Met38-Val206 Accession # Q86UU0
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Bcl9-2 (B-cell lymphoma 9-like protein; also Bcl9L and B9L) is a 200-220 kDa transcriptional regulator that belongs to the Bcl9 family of proteins. It is expressed in multiple tissues, particularly breast, and serves to recruit Pygopus to the Wnt-pathway β -catenin-TCF complex in the nucleus. Bcl9-2 and Bcl9 are considered evolutionary duplicates of Legless that perform the same task with different regulation. Human Bcl9-2 is 1499 amino acids (aa) in length. It contains two Pro-rich regions (aa 280-493 and 891-1378). There are four potential alternate start sites at Met879, Met1000, Met708 and Met472. The last two start sites are accompanied by a deletion of aa 1241-1286, and a 62 aa substitution for the C-terminal 167 aa, respectively. Over aa 38-206, human Bcl9-2 is 94% aa identical to mouse Bcl9-2. Bcl9-2 has been identified as a phosphoprotein in several human cancer cell lines and mouse liver.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.