

Human/Mouse ZIC1 Alexa Fluor® 647-conjugated Antibody

Antigen Affinity-purified Polyclonal Goat IgG Catalog Number: AF4978R

100 µg

DESCRIPTION		
Species Reactivity	Human/Mouse	
Specificity	Detects human and mouse ZIC1 in direct ELISAs and Western blots.	
Source	Polyclonal Goat IgG	
Purification	Antigen Affinity-purified	
Immunogen	E. coli-derived recombinant human ZIC1 Met1-Gly198 Accession # Q15915	
Conjugate	Alexa Fluor 647 Excitation Wavelength: 650 nm Emission Wavelength: 668 nm	
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide	
	*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS		
Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.		
Western Blot	Optimal dilution of this antibody should be experimentally determined.	
Immunocytochemistry	Optimal dilution of this antibody should be experimentally determined.	
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.	

PREPARATION AND STORAGE	
Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

ZIC1 (zinc-finger protein of the cerebellum 1) is a 54-60 kDa member of the GLI C2H2-type Zn-finger protein family. It is expressed in embryonic sclerotome and dermomyotome and in postmitotic cerebellar granule cells and retinal ganglion cells. ZIC1 is a transcription factor that promotes ApoE expression and blocks activation of Math1, allowing for neuroblast multiplication at the expense of differentiation. Human ZIC1 is 447 amino acids (aa) in length. It contains N-terminal poly Ala and His segments, followed by five C2H2-type Zn-fingers. Although the first two are atypical (aa 225-296), the last three Zn-fingers (aa 302-384) are canonical and bind to GLI1, 2 and 3. There is one potential alternate start site at Met353. Over aa 1-198, human ZIC1 is 99% aa identical to mouse ZIC1.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.

Rev. 9/15/2025 Page 1 of 1

China | info.cn@bio-techne.com TEL: 400.821.3475