

DESCRIPTION

Species Reactivity	Human/Mouse
Specificity	Detects human and mouse Neurexin 3/NRXN3 in Western blots.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant human Neurexin 3/NRXN3 Ser35-Thr357 Accession # NP_620426
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

The alpha and beta forms of Neurexins 1-3 are transmembrane neuronal glycoproteins which are transcribed from each of three NRXN genes that utilize alternate promoters. Like other Neurexins, the extracellular domain (ECD) of Neurexin 3 α contains six LNS domains interspersed with three EGF-like domains, while that of Neurexin 3 β contains only the sixth LNS domain and no EGF-like domains (1-3). Mature human Neurexin 3 β is a 70 kDa glycosylated protein with a 528 amino acid (aa) ECD and a 56 aa cytoplasmic domain that contains a motif for binding PDZ scaffolding proteins (3-5). Within comparable regions of the ECD, human Neurexin 3 β shares 99% aa sequence identity with mouse and rat Neurexin 3 β . It shares 65% aa sequence identity with comparable regions of the ECD of human Neurexin 1 β and 2 β . Alternative splicing of human Neurexin 3 β generates multiple isoforms. There are potentially soluble and secreted variants and some which contain a fibronectin type III-like domain (4, 6). Neurexin 3 β is widely expressed in the brain where it binds the postsynaptic Neuroligins 1, 2, and 3 (6-9). Neurexin 3 β may also be expressed in non-nervous tissues with a potentially cardiac-specific isoform (10). Human Neurexin 3 β polymorphisms which affect the splicing pattern are associated with susceptibility to alcohol dependence (6). The Neurexin 3 β genetic locus has been linked to opioid and nicotine addiction, and Neurexin 3 β gene expression is up-regulated after short term exposure of mice to cocaine (11-13).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.