

## DESCRIPTION


|                           |   |
|---------------------------|---|
| <b>Species Reactivity</b> | Human   |
| <b>Specificity</b>        | Detects human C4.4A/LYPD3 in direct ELISAs and Western blots. In direct ELISAs, approximately 15% cross-reactivity with recombinant mouse C4.4A is observed.  |
| <b>Source</b>             | Polyclonal Sheep IgG  |
| <b>Purification</b>       | Antigen Affinity-purified   |
| <b>Immunogen</b>          | Mouse myeloma cell line NS0-derived recombinant human C4.4A/LYPD3<br>Leu31-His286<br>Accession # O95274   |
| <b>Formulation</b>        | Lyophilized from a 0.2 µm filtered solution in PBS with Trehalose. See Certificate of Analysis for details.<br>*Small pack size (-SP) is supplied either lyophilized or as a 0.2 µm filtered solution in PBS. |

## APPLICATIONS

**Please Note:** Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

|                     | Recommended Concentration | Sample    |
|---------------------|---------------------------|-----------|
| <b>Western Blot</b> | 1 µg/mL                   | See Below |

## DATA



## PREPARATION AND STORAGE

|                                |  |
|--------------------------------|--|
| <b>Reconstitution</b>          | Reconstitute at 0.2 mg/mL in sterile PBS.  |
| <b>Shipping</b>                | The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.<br>*Small pack size (-SP) is shipped with polar packs. Upon receipt, store it immediately at -20 to -70 °C   |
| <b>Stability &amp; Storage</b> | <b>Use a manual defrost freezer and avoid repeated freeze-thaw cycles.</b> <ul style="list-style-type: none"> <li>● 12 months from date of receipt, -20 to -70 °C as supplied.</li> <li>● 1 month, 2 to 8 °C under sterile conditions after reconstitution.</li> <li>● 6 months, -20 to -70 °C under sterile conditions after reconstitution.</li> </ul> |

## BACKGROUND

LYPD3 (Ly6/PLAUR-domain containing protein 3; also MIG-C4 and GPI anchored metastasis-associated protein C4.4A) is an 85-95 kDa, variably glycosylated member of the Ly6 family of GPI anchored proteins. It is expressed on transitional epithelium, keratinocytes and monocytes, and binds laminin 1 and 5, plus Galectin-3. LYPD3 is believed to support cell migration. Mature human LYPD3 is a 296 amino acid (aa) GPI linked glycoprotein. It contains two UPAR domains (aa 33-126 and 140-222), and an ADAM cleavage site (aa 312-325). The molecule shows extensive N and O linked glycosylation. There is one potential isoform that shows a deletion of aa 129-180. Over aa 31-286, human LYPD3 shares 81% aa identity with mouse LYPD3.