

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse Slit2 in direct ELISAs. In direct ELISAs, less than 50% cross-reactivity with recombinant human (rh) Slit2, rhSlit1 and recombinant mouse (rm) Slit1 is observed, less than 10% cross-reactivity with rmSlit3 and rhSlit3 is observed.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	Chinese hamster ovary cell line CHO-derived recombinant mouse Slit2 Gln26-Gln900 Accession # Q9R1B9
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Immunohistochemistry Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Slit2 is a 180-210 kDa secreted member of the SLIT family of proteins. It is expressed in select sites in the embryo (via glia, motoneurons and posterior sclerotome mesoderm), and found in discrete adult cell types such as preosteoblasts, monocytes, granulose lutein cells, and likely keratinocytes. Slit2 binds to multiple receptors, including ROBO-1 thru -4, laminin-1, Dan, Gremlin and netrin-1. Depending upon the target, Slit2 can promote a number of diverse effects, including both growth cone collapse and outgrowth, inhibition of dendritic cell migration, and axon repulsion. Mature mouse Slit2 is 1496 amino acids (aa) in length (aa 26-1521). It contains multiple intermingled domains, including nine EGF-like domains, 20 Leu-rich repeats (LRRs), one laminin G-like and CTCK (C-terminal Cys knot-like) domain, and eight total C- plus N-terminal LRRs. There are two potential isoform splice variants. One contains a four aa insertion after Ser258, while another possesses the same insertion after Ser258 coupled to both an eight aa insertion after Ser479 and a nine aa insertion after Thr1021. Slit2 apparently undergoes proteolytic cleavage after Arg1113. This generates a 140-150 kDa N-terminal protein, and a 55-60 kDa C-terminal fragment. This processing does not inactivate Slit2. Rather, it creates molecules with distinct activities. For example, the N-terminal fragment will bind ROBO-1 and repel motor axon migration, while the C-terminal fragment won't bind ROBO-1, but will bind glypican-1 and promote motor axon migration. Over aa 26-900, mouse SLIT2 shares 99% and 97%aa sequence identity with rat and human Slit2, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.