

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse S5a/Angiocidin in direct ELISAs and Western blots.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant mouse S5a/Angiocidin isoform A Val2-Glu254 Accession # O35226
Conjugate	Alexa Fluor 594 Excitation Wavelength: 590 nm Emission Wavelength: 617 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Angiocidin (also S5a, 26S proteasome regulatory subunit S5A, Psmd4, RPN10a and Mcb1) is a 41 kDa (predicted) member of the proteasome subunit S5A family of proteins. It runs anomalously in SDS-PAGE at 55 kDa. Intracellularly, Angiocidin is a component of the 26S proteasome that degrades ubiquitinated proteins. Extracellularly, it inhibits angiogenesis by binding to collagen and β1 integrins. Mouse Angiocidin is 376 amino acids (aa) in length. It contains a vWF-A domain (aa 5-188), a β1 interacting site (aa 86-105) and two ubiquitin-interacting motifs (aa 211-230 and 282-301). There are four splice variants. Three show a GlyGluArg insertion after Glu254, with two of these showing an additional three aa substitution for aa 255-376, and a 45 aa substitution for aa 321-376, respectively. A fourth shows a 51 aa substitution for aa 299-376. Over aa 1-254, mouse Angiocidin shares > 99% aa identity with rat and human Angiocidin.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.