

DESCRIPTION

Species Reactivity	Human/Mouse
Specificity	Detects human and mouse NKX6.1 in direct ELISAs and Western blots. In direct ELISAs, less than 1% cross-reactivity with recombinant human NKX3.1 is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human NKX6.1 Met1-Pro120 Accession # NP_006159
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

NKX6.1 (NK homeobox factor 6.1; also NKX6A) is a 39-46 kDa member of the homeodomain family of transcription factors. It is expressed in embryonic ventral neural tube where it drives neural progenitors to form motoneurons and V2-type interneurons. It is also expressed in both fetal and neonatal pancreas where it promotes a β -cell phenotype. NKX6.1 exhibits both transcriptional gene repression (NKX6.2 and Dbx2) and activation (cyclin A2 and B1). When overexpressed, it induces β -cell mitosis. Human NKX6.1 is 367 amino acids (aa) in length. It contains a repressor region composed of Pro and Ala (aa 136-173), a DNA binding homeobox (aa 236-295) and a Glu:Asp-rich transactivation domain (aa 305-337). Over aa 1-120, human NKX6.1 shares 96% aa identity with mouse NKX6.1.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.