

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse CTHRC1 in direct ELISAs and Western blots.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse CTHRC1 Ser33-Lys245 Accession # Q3UAP6
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

CTHRC1 (Collagen triple helix repeat-containing protein 1) is a 28-30 kDa, secreted glycoprotein that bears similarity to the C1q/TNFA-related family of proteins. It is expressed by disparate cell types, including renal epithelium, neurons, osteoblasts, and smooth muscle cells. Functionally, it is recognized to be induced by BMP-2 and to block TGFβ-induced collagen type I and III synthesis. Mouse CTHRC1 is 245 amino acids in length. It contains a 32 amino acid (aa) signal sequence, a 16 aa prosegment (aa 33-48), and a 197 aa mature region that shows one collagen-like domain (aa 59-92). Proteolytic processing may generate multiple CTHRC1 isoforms. There is the potential for an intracellular full-length 33 kDa, 245 aa form, plus extracellular isoforms that are 28 kDa (aa 33-245), 26 kDa (aa 49-245), 20 kDa (aa 98-245) and 18 kDa and 16 kDa in size, the last two representing variants of the 20 kDa form with C-terminal processing. CTHRC1 may undergo dimerization, trimerization and oligomerization. One mouse splice variant shows a deletion of aa 53-126. Full-length mouse CTHRC1 shares 99% and 93% aa sequence identity with rat and human CTHRC1, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.