

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human HNF-6/ONECUT1 in direct ELISAs and Western blots. In direct ELISAs, approximately 5% cross-reactivity with recombinant human ONECUT2 is observed.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human HNF-6/ONECUT1 Gln139-Gly283 Accession # Q9UBC0
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunocytochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

HNF-6 (also ONECUT1; one "cut" domain family member 1; OC-1) is a monomeric 53-56 kDa member of the One Cut-domain containing class of homeodomain proteins. It is expressed in embryonic hepatic and pancreatic islet anlage, plus adult hepatocytes and intestinal epithelial cells. HNF-6 is a transcriptional activator that is known to interact with Foxa2. Genes regulated by HNF-6 include Glut2, α 1AT, α -fetoprotein and HNF-3 β . Human HNF-6 is 465 amino acids (aa) in length. It contains two DNA-binding regions, one classified as a CUT domain (aa 283-369) and another as a homeobox domain (aa 385-444). HNF-6 is both acetylated and phosphorylated, contributing to protein stability and transactivation activity. Over aa 139-283, human HNF 6 shares 99% aa identity with mouse HNF-6. Rat HNF-6 shows a 26 aa insertion after Ala368. Given an overall aa identity of 99% between rat and human, the possibility exists that this insertion may also exist in human.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.