

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects recombinant human and mouse BMP-6 in direct ELISAs and detects mouse BMP-6 in Western blots. In direct ELISAs, approximately 5% cross-reactivity with recombinant mouse (rm) BMP-5 and rmBMP-7 is observed.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	Chinese hamster ovary cell line CHO-derived recombinant mouse BMP-6 Ser372-His510 Accession # P20722
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Bone Morphogenetic Protein 6 (BMP-6), also known as Vgr-1, is one of at least 15 structurally and functionally related BMPs which are members of the transforming growth factor β (TGF- β) superfamily. Mouse BMP-6 is synthesized as a 510 amino acid (aa) precursor protein that is cleaved at the dibasic cleavage site (RxxR) to release the 18 kDa C-terminal mature protein. Biologically active BMP-6 consists of a disulfide-linked homodimer of the mature proteins (1, 2). Mature mouse BMP-6 shares 96% and 98% aa sequence identity with human and rat BMP-6, respectively. Cellular responses to BMP-6 are mediated by hetero-oligomeric complexes of type I (Activin RIA/ALK-2 and BMPRI-IA/ALK-3) and type II (Activin RIIA and BMPRII) serine/threonine kinase receptors (3-5). Glycosylation of BMP-6 is required for its interaction with Activin RIA (6). BMP-6 induces the expression of Noggin and is subsequently antagonized by Noggin (7, 8). BMP-6 induces a wide range of cellular responses. It promotes osteoblast differentiation from mesenchymal stem cells (5), chondrocyte maturation (9), Ang II-induced aldosterone production in the adrenal cortex (3), hormone production and responsiveness in ovarian granulosa cells (10), iNOS and TNF- α production in macrophages (4), the cell death of B cells (8), and neurite outgrowth (11). BMP-6 expression is induced in astrocytes surrounding sites of brain injury where it functions as a neuroprotectant (11, 12). BMP-6 is upregulated during prostate cancer progression and promotes tumor cell metastasis to bone (13). Through interactions with the BMP coreceptor RGM-C/Hemojuvelin, BMP-6 plays an important role in iron homeostasis by promoting Hcpidin expression and preventing serum iron overload (14, 15).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.