

DESCRIPTION

Species Reactivity	Human/Mouse
Specificity	Detects human and mouse Follistatin in direct ELISAs and Western blots.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>S. frugiperda</i> insect ovarian cell line Sf 21-derived recombinant human (rh) Follistatin Gly30-Asp329 Accession # P19883
Conjugate	Alexa Fluor 532 Excitation Wavelength: 534 nm Emission Wavelength: 553 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

Neutralization	Optimal dilution of this antibody should be experimentally determined.
Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Follistatin (FS) was initially identified as a follicle-stimulating hormone inhibiting substance found in ovarian follicular fluid. It has since been shown that FS is a high-affinity activin-binding protein that can act as an activin antagonist. Two alternatively spliced follistatin mRNAs, encoding mature FS with 288 amino acid (aa) residues (FS-288) and 315 aa residues (FS-315), exist. Natural FS purified from porcine ovaries is primarily a carboxy-terminal truncated form of FS-315 composed of 300 aa residues. The recombinant human FS-300 produced at R&D Systems contains 301 aa residues and represents a molecular form derived from human FS-315 containing a truncation of 15 residues from the carboxy-terminus. FS-288 binds with high-affinity to cell-surface heparan sulfate proteoglycans whereas FS-315 binds with low-affinity. The binding affinity of R&D Systems' FS-300 to heparan sulfate has not been determined. Cell surface-associated FS has been suggested to play a role in the clearance and bioavailability of activin *in vivo*. Besides activin, FS has also been shown to bind with multiple BMPs and to inhibit BMP activity in early *Xenopus* embryos. FS deficient mice have been shown to have multiple embryonic defects that will result in death shortly after birth. Overexpression of FS can also cause reproductive defects in transgenic mice. Over aa 30-329, human Follistatin shares 97% aa identity with mouse Follistatin.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.