

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse Glycoprotein V/CD42d in direct ELISAs and Western blots.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse Glycoprotein V/CD42d Gln17-Gly522 Accession # NP_032174
Conjugate	Alexa Fluor 594 Excitation Wavelength: 590 nm Emission Wavelength: 617 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunocytochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

GP-V (platelet glycoprotein V; also CD42d) is a 78-88 kDa member of the leucine-rich (LR) repeat family of proteins. It is expressed on the surface of platelets where it noncovalently interacts with three additional proteins to form a heteromeric complex that serves as a receptor for both thrombin and von Willebrand factor. In addition, GP-V is normally a receptor for collagen. Following receptor complex activation due to thrombin cleavage of GP-V, the collagen-binding activity of GP-V is lost, limiting thrombus growth at sites of clot formation. Mature mouse GP-V is a 551 amino acid (aa) type I transmembrane glycoprotein. In its 506 aa extracellular domain (aa 17-522), GP-V contains 16 LR repeats (aa 17-474), and terminates with a short 24 aa cytoplasmic tail. Based on human, mouse GP-V might be naturally cleaved by thrombin and ADAM17, generating soluble fragments that range from 70-82 kDa in size. Over aa 17-522, mouse GP-V shares 83% and 70% aa sequence identity with rat and human GP-V, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc., and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.