

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human IFN- α / β R2 C-Terminus in direct ELISAs and Western blots. In direct ELISAs, less than 1% cross-reactivity with recombinant human (rh) IFN- α / β R2a, rhIFN- α / β R α , and recombinant mouse IFN- α / β R2 is observed.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human IFN- α / β R2 C-Terminus Ser351-Met514 Accession # P48551
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

IFN- α / β R2 (Interferon alpha/beta receptor 2/IFNAR2; also IFN α binding protein) is a 90-102 kDa member of the class II cytokine receptor family of molecules. It is expressed on hematopoietic cells, including T cells, NK cells, B cells and monocytes. It serves as a ligand binding subunit for type I IFN, and generates a functional IFN receptor by complexing with 125 kDa IFNAR1. Multiple type I IFNs signal through this heterodimeric receptor with distinct outcomes. This may be attributable to unique structural conformations created by the Type I IFN:IFNAR1 interaction, or the use of a truncated isoform of IFNAR2. Mature human IFNAR2 is a 489 amino acid (aa) type I transmembrane glycoprotein (aa 27-515). It contains a 217 aa extracellular region (aa 27-243) that contains an Ig-like domain (aa 39-118), a fibronectin type III domain, and a 251 aa cytoplasmic tail. There are two isoform variants. The first is 50-55 kDa in size and contains a 51 aa substitution for aa 281-515. The second is a 40 kDa soluble form that shows a two aa substitution for aa 238-515. IFNAR2 also undergoes proteolysis. Cleavage of the 92 kDa isoform generates a 58 kDa membrane-embedded stub that can be further cleaved into 27-35 kDa fragments that undergo nuclear translocation. Over aa 351-514, human IFNAR2 shares 48% aa identity with mouse IFNAR2.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.