

DESCRIPTION

| | |
|---------------------------|---|
| Species Reactivity | Human |
| Specificity | Detects human DOCK3 in direct ELISAs. In direct ELISAs, less than 3% cross-reactivity with recombinant human (rh) DOCK1, rhDOCK2, and rhDOCK5 is observed. |
| Source | Polyclonal Sheep IgG |
| Purification | Antigen Affinity-purified |
| Immunogen | <i>E. coli</i> -derived recombinant human DOCK3 Gly418-Thr656 Accession # Q8IZD9 |
| Conjugate | Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm |
| Formulation | Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions. |

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Immunohistochemistry Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

DOCK3 (Dedicator of cytokinesis protein 3; also MOCA and PBP) is a 230-240 kDa member of the DOCK family, DOCK180 superfamily of proteins. DOCK3 expression appears to be restricted to neurons where it binds to Rac1 in conjunction with WAVE1, enhancing both Rac1 activity and that of downstream JNK. This results in cytoskeleton rearrangement and the promotion of axonal outgrowth. DOCK3 also binds to β -catenin, thereby inhibiting Wnt signaling and promoting cell adhesion. Human DOCK3 is 2030 amino acids (aa) in length. It contains one protein-interaction SH3 domain (aa 7-650), a DHR-1 region that localizes DOCK3 to cell membranes (aa 418-654), a DHR-2 domain that likely binds to nucleotide-free GTPases and shows GEF activity (aa 1122-1630), and one SH3-binding motif (aa 1970-1976). There is one phosphorylation site at Ser2013 and, unlike DOCK180, DOCK3 is known to form intracellular aggregates. There are three potential isoform variants. Two result from the use of alternative start sites at Met346 and Met388, while a third shows a deletion of aa 106-123 coupled to a Gly substitution for aa 184-2030. Over aa 418-656, human DOCK3 shares 99% aa identity with mouse DOCK3.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.