

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human Polypeptide GalNAc Transferase 1/GALNT1 in direct ELISAs and Western blots. In direct ELISAs, less than 5% cross-reactivity with recombinant human (rh) GALNT2 and rhGALNT3 is observed.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant human Polypeptide GalNAc Transferase 1/GALNT1 Gly41-Phe559 Accession # Q10472
Conjugate	Alexa Fluor 647 Excitation Wavelength: 650 nm Emission Wavelength: 668 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

O-glycosylation is a ubiquitous post-translational modification of secreted and membrane-bound proteins. Polypeptide N-acetylgalactosaminyltransferases (GALNTs) catalyze the initial step for o-glycosylation: transferring GalNAc to Thr or Ser residues (GalNAc α1-O-Ser/Thr) in the Golgi compartment. Structurally, the GALNTs consist of an N-terminal catalytic domain tethered by a short linker to a C-terminal ricin-like lectin domain containing three potential carbohydrate-binding sites (1, 2). Twenty distinct GALNT isoforms have been detected in humans. Most of the isoforms display both unique and overlapping substrate specificities (3, 4) with no universal consensus glycosylation sequence. Glycosylation of mucins results from successive, often hierarchical, action of several specific GALNTs (5). GALNT1, in particular, is involved in the glycosylation of proteins essential for bone formation such as osteopontin and bone sialoprotein (6). Using a peptide library screening approach, GALNT1 was classified as an early transferase that has a preference for nonglycosylated or monoglycosylated substrates (5). The enzymatic activity of recombinant human GALNT1 was determined using a phosphatase-coupled assay (7).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc., and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.