

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse TROY/TNFRSF19 in ELISAs and Western blots. In sandwich immunoassays, less than 2% cross-reactivity with recombinant human TAJ is observed and less than 0.2% cross-reactivity with recombinant mouse (rm) EDAR, rmCD27, rmFas, rmRANK,
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>S. frugiperda</i> insect ovarian cell line Sf 21-derived recombinant mouse TROY/TNFRSF19 Glu30-Leu170 Accession # Q9JLL3
Conjugate	Alexa Fluor 532 Excitation Wavelength: 534 nm Emission Wavelength: 553 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

ELISA Capture (Matched Antibody Pair)	Optimal dilution of this antibody should be experimentally determined.
ELISA Detection (Matched Antibody Pair)	Optimal dilution of this antibody should be experimentally determined.
Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

TROY, also named Toxicity and JNK inducer (TAJ) and TNFRSF19, is a novel member of the tumor necrosis factor receptor superfamily. The protein putatively encoded by the TROY mRNA is a 416 amino acid (aa) residue type I membrane protein with a 29 aa signal peptide, a 141 aa extracellular domain, a 23 aa transmembrane domain and a 223 aa cytoplasmic domain. Splice variants of mouse TROY (lacking the transmembrane and cytoplasmic domains or with only a 21 aa cytoplasmic tail), have also been identified. Like other members of the TNFRSF, TROY contains characteristic cysteine-rich motifs in the extracellular domain. The cytoplasmic domain of TROY does not have the death domain present in some TNFRSF members, but does contain a major TRAF2 (tumor necrosis factor receptor-associated factor 2)-binding consensus sequence. Mouse TROY shares 92% aa sequence identity with human TROY in their extracellular domains. The two proteins also have 57% homology in their cytoplasmic tails. Among TNFRSF members, TROY is most related to Edar, sharing 33% identity in the extracellular domain. Over-expression of TROY has been reported to activate nuclear factor NFκB and c-Jun N-terminal kinase (JNK) pathways. TROY mRNA is exclusively expressed in the epithelia of various tissues in mouse day 13.5 embryos. In neonatal mice, expression of TROY is predominantly in hair follicles and in neuron-like cells in the cerebrum.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc., and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.