

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse MINA in direct ELISAs and Western blots. In direct ELISAs, 80% cross-reactivity with recombinant human (rh) MINA is observed and 40% cross-reactivity with rhMINA is observed in Western blots.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant mouse MINA Pro2-Gly192 Accession # Q8CD15
Conjugate	Alexa Fluor 647 Excitation Wavelength: 650 nm Emission Wavelength: 668 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

MINA (myc-induced nuclear antigen; also Mina53) is a 52-54 kDa member of both the MINA53/NO66 and Jumonji C family of proteins. Its expression is associated with proliferating cells, and it has been found in cytoplasm, nucleus and nucleoli. MINA appears to be induced by c-myc, and synthesized by spermatogonia, occasional squamous epithelium, naïve T cells and select cancer cells. When expressed, MINA is reported to regulate expression of genes such as HGF, EGF-R and IL-4. It may exert its regulatory activity through an intrinsic demethylase function. Mouse MINA is 465 amino acids (aa) in length. It possesses one cupin (or enzyme-associated) region (aa 51-363) that contains a JmjC domain (aa 139-271). There are two potential isoform variants that contain either a 12 aa substitution for aa 145-465, or a 15 aa substitution for aa 228-465. Over aa 2-192, mouse MINA shares 92% and 82% aa sequence identity with rat and human MINA, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.