

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human VAMP-5 in direct ELISAs. In direct ELISAs, approximately 5% cross-reactivity with recombinant human (rh) VAMP-7 is observed, and less than 1% cross-reactivity with rhVAMP-1, rhVAMP-2, and rhVAMP-8 is observed.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human VAMP-5 Ala2-Cys72 Accession # O95183
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Immunohistochemistry Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

VAMP-5 (vesicle associated membrane protein 5; also myobrevin) is a member of the synaptobrevin family of proteins. Although its predicted MW is 11 kDa, it runs anomalously at 16 kDa in SDS-Page. VAMP-5 is a type IV transmembrane (TM) protein (i.e.-a type II TM protein whose C-terminus is almost completely transmembrane) that is found in both trans-Golgi and plasma membranes of myotubes (mature skeletal and cardiac muscle cells). While VAMPs are commonly associated with vesicle fusion to t-SNARE in cell membranes, VAMP-5 appears to show no such activity. Human VAMP-5 is 116 amino acids (aa) in length. It contains an N-terminal cytoplasmic region (aa 1-72) with one vSNARE coiled-coil homology domain, a 21 aa TM segment, and 23 aa C-terminal luminal domain. Over aa 1-72, human VAMP-5 shares 75% aa identity with mouse VAMP-5.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.