

#### DESCRIPTION

<b>Species Reactivity</b>	Human/Mouse/Rat
<b>Specificity</b>	Detects human Coactosin-like Protein 1/COTL1 in direct ELISAs and Western blots.
<b>Source</b>	Polyclonal Sheep IgG
<b>Purification</b>	Antigen Affinity-purified
<b>Immunogen</b>	<i>E. coli</i> -derived recombinant human Coactosin-like Protein 1/COTL1 Ala2-Glu142 Accession # Q14019
<b>Conjugate</b>	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
<b>Formulation</b>	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

#### APPLICATIONS

**Please Note:** Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

<b>Western Blot</b>	Optimal dilution of this antibody should be experimentally determined.
<b>Immunocytochemistry</b>	Optimal dilution of this antibody should be experimentally determined.

#### PREPARATION AND STORAGE

<b>Shipping</b>	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
<b>Stability &amp; Storage</b>	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

#### BACKGROUND

COTL1 (Coactosin-like Protein) is both a cytoplasmic and plasma-appearing 15-16 kDa member of the coactosin subfamily, ADF/Actin Depolymerizing Factor family of actin-binding proteins. It is widely expressed, and found in cell types such as neutrophils, and tissues such as placenta, lung and kidney. Functionally, COTL1 interacts noncovalently with both F-actin and 5-lipoxygenase/5LO. These interactions appear to be mutually exclusive. A COTL1:F-actin interaction leads to actin binding without actin polymerization, while a 5LO:COTL1 interaction has two potential outcomes; first, 5LO sequesters COTL1, leading to a failure of actin binding, and second, COTL1 can serve as a scaffold for 5LO activity, facilitating the production of either 5HPETE or LTA4. Human COTL1 is 142 amino acids (aa) in length. It is principally composed of one ADF-H domain (aa 2-130) that possesses a utilized phosphorylation site at Ser115, and two acetylation sites at Lys102 and Lys126. COTL1 may form noncovalent homodimers and oligomers, but not when complexed to F-actin. There is one potential isoform variant that shows a 106 aa substitution for aa 1-53. Full-length human and mouse COTL1 share 95% aa sequence identity.

#### PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.