

DESCRIPTION

Species Reactivity	Human/Mouse
Specificity	Detects human and mouse S5a/Angiocidin in Western blots.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human S5a/Angiocidin Met1-Lys377 Accession # P55036
Conjugate	Alexa Fluor 594 Excitation Wavelength: 590 nm Emission Wavelength: 617 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

S5a (26S proteasome regulatory subunit S5a/RPN10/nonATPase 4; also Angiocidin, ASF and multiubiquitin chain-binding protein) is a 50-60 kDa protein that belongs to the proteasome subunit S5A family of molecules. It is ubiquitously expressed, and found in both cytosol and in association with the 26S proteasome. Intracellularly, proteins targeted for degradation are marked by ubiquitin (Ub), a 9 kDa polypeptide. Following ubiquitination, proteins so marked are recognized by a degradation unit composed of three complexes, a central 20S complex and two flanking 19S complexes. The 20S barrel-shaped complex contains 28 subunits, one of which is S5a. This subunit binds Lys48 multiubiquitinated proteins, and contributes to proteasome-based proteolysis. S5a also binds proteins with intrinsic Ub-like sequences, and is posited to contribute to their degradation. Notably, S5a interacts with E3/E2 pairs to insure that non-forked Ub chains appear on target proteins. Failure to do so leads to forked Ub chains that are poor proteasome targets. S5a also exists in the circulation, and appears to bind TSP-1. Extracellularly, S5a is reported to possess both antiangiogenic and antiproliferative activity, and to promote inflammatory mediator secretion from mononuclear cells. Human S5a is synthesized as a 377 amino acid (aa) protein that contains one vWF-A type domain (aa 5-188) and two UIM, or Ub-interacting motifs (aa 211-230 and 282-301). There are at least three utilized Ser phosphorylation sites. Although mouse S5a has four reported splice forms, human appears to have but two, one that contains a GlyGluArg insertion after Glu254 (called angiocidin), and a second 32-33 kDa isoform that exists in the embryo and contains a 14 aa substitution for aa 255-377. Full-length human S5a shares 96% aa sequence identity with mouse S5a.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.