

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse GDF-1 in direct ELISAs and Western blots. In direct ELISAs, approximately 5% cross-reactivity with recombinant mouse (rm) GDF-5 is observed and less than 1% cross-reactivity with rmGDF-6 is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant mouse GDF-1 His238-Arg357 Accession # P20863
Conjugate	Alexa Fluor 594 Excitation Wavelength: 590 nm Emission Wavelength: 617 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Growth and Differentiation Factor 1 (GDF-1) is a secreted protein in the TGF-β superfamily (1). It is the functional equivalent of frog, zebrafish, and chick Vg1 (2, 3). Human GDF-1 is synthesized as a preproprotein that produces an approximately 44 kDa proprotein after cleavage of a 29 amino acid (aa) signal peptide. Further proteolysis at a dibasic cleavage site produces a 224 aa propeptide and a secreted 119 aa, 12-15 kDa mature peptide (4). Mature human GDF-1 shares 81% aa sequence identity with mouse and rat GDF-1. GDF-1 is expressed in the developing and adult nervous system, particularly in neurons of the cerebral cortex and hippocampus (4, 5). It is required during embryogenesis for development of left/right axis asymmetry, anterior/posterior axis asymmetry, and the notochord (2, 3, 6, 7). It cooperates with Nodal and GDF-3 in these activities and potentiates Nodal bioactivity through formation of a 27 kDa noncovalent GDF-1-Nodal heterodimer (3, 7, 8). The presence of Nodal is required for GDF-1 induced effects (8). GDF-1 signals through heteromeric receptor complexes containing Activin RIIA or Activin RIIIB, ALK4 or ALK7, and an EGF-CFC protein such as Cryptic or Cripto (7-9). Loss of function mutations in GDF-1 are associated with a variety of human cardiac development defects (10).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.