

DESCRIPTION

Species Reactivity	Viral
Specificity	Detects viral EBV IL-10 in direct ELISAs and Western blots. In direct ELISAs, approximately 35% cross-reactivity with recombinant canine IL-10 and recombinant human IL-10 is observed and less than 10% cross-reactivity with recombinant mouse IL-10 and
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant viral EBV IL-10 Gln26-Arg170 Accession # P03180
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Interleukin-10 (IL-10) is a pleiotropic cytokine that plays a crucial role in regulating immune and inflammatory responses (1). It has closely related homologs in the genome of several viruses including the human cytomegalovirus (HCMV), a prevalent pathogen that can remain in humans as a latent infection (2). Viruses use multiple strategies to avoid detection and clearance by the host immune system. One of these strategies is to express virus-encoded host cytokine homologs, such as IL-10, to modulate the host immune system to the virus' advantage. HCMV IL-10 is encoded from noncontiguous stretches in the viral genome and is transcribed early during infection. It shares 27% amino acid sequence identity with the endogenous human IL-10. Despite its low homology with the human protein, it can bind to the human IL-10 receptor complex and induces signal transduction. HCMV IL-10 has been shown to suppress cytokine production and inhibit proliferation of mitogen-stimulated human peripheral blood mononuclear cells. HCMV IL-10 can also down regulate the antigen-presenting and accessory cell functions of human monocytes. These immunosuppressive properties of HCMV IL-10 likely contribute to immune evasion during virus infection (3).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.