

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human DAN in direct ELISAs and Western blots. In direct ELISAs, approximately 25% cross-reactivity with recombinant mouse (rm) DAN is observed and less than 1% cross-reactivity with recombinant chicken Caronte, rmGremlin, and recombinant
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant human DAN Ala17-Asp180 (Ala36Arg) Accession # Q5U0N4
Conjugate	Alexa Fluor 532 Excitation Wavelength: 534 nm Emission Wavelength: 553 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Blockade of Receptor-ligand Interaction	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

DAN (differential screening-selected gene aberrative in neuroblastoma) was initially identified as a gene whose expression is downregulated in *src*-transformed rat fibroblasts. Human DAN was isolated from a normal lung cDNA library using mouse DAN as a probe. DAN has now been shown to be a prototypical member of the DAN family of secreted glycoproteins that are putative antagonists for TGF-β superfamily proteins. DAN family members share a cysteine-rich domain that is structurally related to the cysteine-knot motif found in TGF-β superfamily ligands. There are at least five mammalian DAN family members including DAN, Gremlin/DRM, Cer1 (Cerberus-related), Dante and PRDC (protein related to DAN and cereberus). Additional DAN family members include *Xenopus* Cerberus, chick Caronte and *C. elegans* CeCan 1. The DAN family of proteins are thought to act as antagonists by binding TGF-β family ligands and preventing their interactions with signaling receptor complexes. Recombinant human DAN preparations from R&D Systems have been shown to bind BMP-4 in a functional ELISA and to inhibit BMP-4 mediated bioactivity in ATDC 5 chondrogenic cells. It is likely the various DAN family members and other TGF-β BMP antagonists including Noggin, Chordin, Follistatin and TSG can selectively antagonize the activities of different subsets of TGF-β superfamily ligands. These antagonists represent one of the many elaborate regulatory mechanisms that have evolved to control the bioactivities of the TGF-β superfamily ligands.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.