

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse Wnt-2b in Western blots. In Western blots, approximately 25% cross-reactivity with recombinant human (rh) Wnt-2 is observed and less than 5% cross-reactivity with rhWnt-7a, rhWnt-9a, recombinant mouse (rm) Wnt-1, rmWnt-3a, rmWnt-4, rmWnt-5a, rmWnt-5b, rmWnt-8a, rmWnt-8b, rmWnt-9b, rmWnt-10a, rmWnt-10b, rmWnt-11, and rmWnt-16 is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant mouse Wnt-2b Leu64-Glu104 and Arg251-Ala312 Accession # O70283
Formulation	Lyophilized from a 0.2 µm filtered solution in PBS with BSA as a carrier protein. See Certificate of Analysis for details.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

	Recommended Concentration	Sample
Western Blot	0.1 µg/mL	Recombinant Mouse Wnt-2b

PREPARATION AND STORAGE

Reconstitution	Reconstitute at 0.2 mg/mL in sterile PBS.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	<p>Use a manual defrost freezer and avoid repeated freeze-thaw cycles.</p> <ul style="list-style-type: none"> ● 12 months from date of receipt, -20 to -70 °C as supplied. ● 1 month, 2 to 8 °C under sterile conditions after reconstitution. ● 6 months, -20 to -70 °C under sterile conditions after reconstitution.

BACKGROUND

Mouse Wnt-2b (also Wnt-13) is a 389 amino acid, 42kDa member of the large and highly conserved Wnt family of secreted, cysteine-rich glycoprotein signaling molecules. Wnt proteins are associated with developmental and carcinogenic processes. Wnt-2b may be necessary to maintain stem cells in an undifferentiated state. As a type II transmembrane protein with a long C-terminal extracellular and a short N-terminal cytoplasmic domain, Wnt-2b is presumably cleaved within its extracellular region to release the secreted form. In the region from aa 64-104, mouse Wnt-2b is 100% identical to the human and rat protein, and over the 251-312 aa region also used as immunogen, mouse Wnt-2b is 97% and 100% identical to the corresponding human and rat sequences, respectively.