

DESCRIPTION

Species Reactivity	Human/Mouse/Rat
Specificity	Detects human p23/PTGES3 in direct ELISAs. Detects human, mouse, and rat p23/PTGES3 in Western blots.
Source	Monoclonal Mouse IgG _{2A} Clone # 998320
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant Human p23/PTGES3 Gln21-Glu160 Accession # Q15185
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Prostaglandin E Synthase 3 (also known as Cytosolic prostaglandin E2 synthase, HSP90 co-chaperone, Progesterone receptor complex p23, Telomerase-binding protein p23, or p23) is a glutathione-dependent enzyme found in the cyclooxygenase-1-mediated PGE2 biosynthetic pathway. This protein is highly conserved in eukaryotes and in humans it is expressed in most tissues other than striated muscle. Through its prostaglandin synthase activity, p23 contributes to the production of prostaglandin E2 and has a role in maintenance of tissue homeostasis. In addition to its catalytic activity in the prostaglandin biosynthesis pathway, p23 serves as a co-chaperone to HSP90 (Heat Shock Protein 90) in various biological functions. The p23/HSP90 complex is required for efficient telomerase assembly in vitro and in vivo. It has also been demonstrated that p23 and HSP90 localize to genomic response elements in a hormone-dependent manner, and may promote disassembly of transcriptional regulatory complexes in response to changes in cellular signaling pathways. p23 protein is up-regulated in several cancers, notably breast cancer.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.