

Mouse CD200R1L Alexa Fluor® 750-conjugated Antibody

Recombinant Monoclonal Rabbit IgG Clone # 2692A

Catalog Number: FAB10198S

100 µg

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse CD200R1L in direct ELISAs.
Source	Recombinant Monoclonal Rabbit IgG Clone # 2692A
Purification	Protein A or G purified from cell culture supernatant
Immunogen	Mouse myeloma cell line NS0-derived mouse CD200R1L Ile25-Thr220 Accession # Q6XJV6.1
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

	Recommended Concentration	Sample
Flow Cytometry	0.25-1 µg/10 ⁶ cells	HEK293 human embryonic kidney cell line transfected with mouse CD200R1L and eGFP

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

CD200 Receptor 2 (CD200R2), or CD200R1L, is a type I transmembrane receptor for the CD200 cell surface glycoprotein. Mature CD200R2 consists of an extracellular domain (ECD) containing an Ig-like V-type domain and an Ig-like C2-type domain, a transmembrane segment and a short cytoplasmic domain. The ECD of mouse CD200R2 shares a 76% and 63% amino acid (aa) identity with the rat and human ECD, respectively. CD200R2 is strongly expressed on resting mast cells but decreased upon activation via FcεR1. It is also observed on monocytes, bone marrow-derived dendritic cells and TH2 cells (1, 2, 4). It has been demonstrated CD200R2 can interact with CD200 (3) and signal through adaptor protein, DAP12, via its lysine residue in the transmembrane region (2). In addition, it has been reported CD200 and CD200R2 interaction alters dendritic cell differentiation and enhances induction of CD4⁺CD25⁺Foxp3⁺ regulatory T cells in mouse transplant model (5).

References:

1. Wright, G. *et al.* (2003) J. Immunol. **171**:3034.
2. Voehringer, D. (2004) J. Biol. Chem. **279**(52):54117.
3. Gorczynski, R. *et al.* (2004) J. Immunol. **172**:7744.
4. Minas, K. (2006) Crit Rev Immunol **26**(3):213.
5. Gorczynski, R. *et al.* (2008) J. Immunol. **180**(9):5946.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.