

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human CLEC2L in direct ELISA.
Source	Recombinant Monoclonal Rabbit IgG Clone # 2799A
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Human embryonic kidney cell, HEK293-derived human CLEC2L protein Ser90-Thr214 Accession # P0C7M8-1
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

	Recommended Concentration	Sample
Flow Cytometry	0.5 µg/10 ⁶ cells	HEK293 human embryonic kidney cell line transfected with human CLEC2L and eGFP

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

C-type lectin domain family 2, member L (CLEC2L), is a type II transmembrane protein of the CLEC2 family of proteins that includes CD69, LLT1, AICL and KACL (1, 2). CLEC2 family members have broad tissue expression, with LLT1, AICL and KACL expressed on B cells, monocytes, and keratinocytes, respectively (3-5). In contrast, CLEC2L, a homodimeric cell surface receptor, is predominantly expressed in the brain and is referred to as the brain-associated C-type lectin (BACL) (6). Mature human CLEC2L includes a 68 amino acid (aa) cytoplasmic domain, a 21 aa transmembrane segment, and a 125 aa extracellular domain (ECD). Within the ECD, human CLEC2L shares 94% aa sequence identity with mouse and rat CLEC2L. Our assay shows that CLEC2L binds to Galectin-3.

References:

1. Yokoyama, W.M. and B.F. Plougastel (2003) Nat. Rev. Immunol. **3**:304.
2. Vogler, I. and A. Steinle (2011) J. Innate Immune. **3**:227.
3. Welte, S. *et al.* (2006) Nat. Immunol. **7**:1334.
4. Spreu, J. *et al.* (2010) Proc. Natl. Acad. Sci. USA **107**:5100.
5. Rosen, D.B. *et al.* (2008) J. Immunol. **180**:6508.
6. Lysenko, O. *et al.* (2013) PloS One. **8**:e65345.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.