

DESCRIPTION

Species Reactivity	SARS-CoV-2
Specificity	Detects human SARS-CoV-2 Envelope protein in direct ELISAs.
Source	Monoclonal Mouse IgG _{2B} Clone # 1044526
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Chinese Hamster Ovary cell line CHO-derived human SARS2-CoV-2 Envelope protein Thr35-Val75 Accession # YP_009724392
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

The SARS-CoV-2 Envelope protein is one of the four major structural proteins of severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2), the causative agent of COVID-19 (1). The envelope protein is the smallest of the four structural proteins, which also includes the membrane protein, spike protein, and nucleocapsid protein (1, 2). The envelope protein is synthesized as a 75 amino acid protein with a theoretical molecular weight of approximately 8.4 kDa (2, 3). Furthermore, the envelope protein of SARS-CoV-2 has 94.7% sequence identity and 97.4% sequence similarity to the envelope protein of SARS-CoV (2). Structurally, the envelope protein is a membrane protein with a N-terminal domain, an alpha-helical transmembrane domain, and a hydrophilic C-terminal domain (1,4). The envelope protein has multiple functions in viral replication including viral assembly, release, and pathogenesis (2,4). Additionally, the SARS-CoV-2 envelope protein has ion channel activity and functions as a viroporin with a role in virion trafficking (2, 4). Coronaviruses lacking the envelope protein are shown to have reduced viral titer and slowed or defective maturation, indicative of a role in virus production and growth (4).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.