

DESCRIPTION

Species Reactivity	Zebrafish
Specificity	Detects zebrafish BMP-2 in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human BMP-2, -3, -3B, -4, -5, -6, -7, -8, or recombinant zebrafish BMP-4 is observed.
Source	Monoclonal Mouse IgG ₁ Clone # 208301
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant zebrafish BMP-2 Gln272-Arg386 Accession # AAI63048
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

Neutralization	Optimal dilution of this antibody should be experimentally determined.
Western Blot	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

BMP-2 is one of at least 20 structurally and functionally related BMPs, which are members of the transforming growth factor β (TGF- β) superfamily (1, 2). BMPs were originally identified as protein regulators of cartilage and bone formation. However, they are also involved in embryogenesis and morphogenesis of various tissues and organs. BMPs regulate the growth, differentiation, chemotaxis, and apoptosis of various cell types, including mesenchymal cells, epithelial cells, hematopoietic cells, and neuronal cells. Similarly to other TGF- β family proteins, BMPs are highly conserved across animal species. At the amino acid sequence level, mature human, mouse, and rat BMP-2 share 100% amino acid (aa) sequence identity, while mature human BMP-2 and zebrafish BMP-2 share 85% aa identity. Zebrafish have another homolog of BMP-2 (also called BMP-2a) called BMP-2b, which is 88% identical to BMP-2 in the mature region and corresponds to the *swirl* mutant. The combined expression pattern of zfbmp-2a/2b/4 coincides with areas where BMP-2/4 expression would be found in other vertebrates (3). Biologically active BMP-2 is a disulfide-linked homodimer of the carboxy-terminal 115 amino acid residues that contains the characteristic seven conserved cysteine residues involved in the formation of the cysteine knot and the single interchain disulfide bond. Cellular responses to BMP-2 have been shown to be mediated by the formation of hetero-oligomeric complexes of type I and type II serine/threonine kinase receptors (4). In contrast to the TGF- β type I receptor, which does not bind the ligand in the absence of the TGF- β receptor type II, both type I BMP receptor's can bind BMP-2 with high affinity in the absence of BMP receptor type II.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc., and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.