

Human Neuropilin-2 Alexa Fluor® 350-conjugated Antibody

Monoclonal Mouse IgG_{2A} Clone # 257103

Catalog Number: FAB22151U

100 µg

DESCRIPTION

| | |
|---------------------------|--|
| Species Reactivity | Human |
| Specificity | Detects human Neuropilin-2 in direct ELISAs. In direct ELISAs, no cross-reactivity with recombinant rat (rr) Neuropilin-1 or rrNeuropilin-2 is observed. |
| Source | Monoclonal Mouse IgG _{2A} Clone # 257103 |
| Purification | Protein A or G purified from hybridoma culture supernatant |
| Immunogen | Mouse myeloma cell line NS0-derived recombinant human Neuropilin-2 Gln23-Tyr855 Accession # NP_003863 |
| Conjugate | Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm |
| Formulation | Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. |

*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

| | Recommended Concentration | Sample |
|----------------|----------------------------------|--|
| Flow Cytometry | 0.25-1 µg/10 ⁶ cells | HUVEC human umbilical vein endothelial cells |

PREPARATION AND STORAGE

| | |
|--------------------------------|--|
| Shipping | The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below. |
| Stability & Storage | Protect from light. Do not freeze. <ul style="list-style-type: none"> ● 12 months from date of receipt, 2 to 8 °C as supplied. |

BACKGROUND

Neuropilin-2 (Npn-2) is a 120 kDa, type I transmembrane (TM) glycoprotein that is related to the semaphorin receptor Neuropilin-1 (1). Npn-2 is a complex molecule with multiple splice forms. Five transmembrane forms are known, and one 62 kDa soluble form has been identified (2). Based on the originally reported precursor size of 909 amino acids (aa), the "standard" precursor in human will have a 20 aa signal sequence, an 842 aa extracellular region, a 25 aa TM segment, and a 42 aa cytoplasmic tail (1). The extracellular region contains two N-terminal CUB (C1r/Ugef/BMP-1) domains, two jellyroll-shaped coagulation factor V type C domains, and a juxtamembrane MAM (meprin/A-5 protein/tyrosine phosphatase µ) domain (1, 3). The CUB and factor V domain are involved in VEGF and semaphorin binding. The MAM domain appears necessary for signaling through plexin-1 (4). The five transmembrane isoforms all share the same CUB, factor V and MAM domains. Splicing begins at aa 809, seven amino acids after the end of the MAM domain, and it involves the end of the extracellular region, the TM segment, and the cytoplasmic domain (a total of 101 aa). Two of the four variants show a complete replacement of these 101 aa with a totally unrelated stretch of approximately 90 aa. This creates a new TM and cytoplasmic tail. These forms are called "Npn-2b" forms. Two other isoforms (plus the standard 909 aa form) retain the 101 aa stretch, and add either 17 or 22 aa to the end of the extracellular region. These forms are called "Npn-2a" forms. The isoform offered by R&D Systems is the "a" form with the 17 aa addition. This isoform shows 94% aa identity to the equivalent regions in mouse and rat Npn-2. The soluble form of Npn-2 is 555 aa in precursor length, and contains the two CUB domains plus the first 1½ factor V type C domains (1). Npn-2 binds Sema3B through F, and VEGF isoforms 165, 145, P/IGF-2 and VEGF-C (5). It is known to form homodimers and heterodimers with Npn-1, and it forms receptor complexes with plexin-1 and VEGFR1 (4, 5). Npn-2 is found on a variety of cell types including neurons (motor, autonomic, sensory), vascular endothelial cells, Schwann cells and pancreatic acinar cells.

References:

- Chen, H. et al. (1997) Neuron 19:547.
- Rossignol, M. et al. (2000) Genomics 70:211.
- He, Z. and M. Tessier-lavigne (1997) Cell 90:739.
- Nakamura, F. and Y. Goshima (2002) Adv. Exp. Med. Biol. 515:55.
- Neufeld, G. et al. (2002) Adv. Exp. Med. Biol. 515:81.

PRODUCT SPECIFIC NOTICES

This product or the use of this product is covered by U.S. Patents owned by The Regents of the University of California. This product is for research use only and is not to be used for commercial purposes. Use of this product to produce products for sale

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.

Rev. 2/6/2018 Page 1 of 2



Global bio-techne.com info@bio-techne.com techsupport@bio-techne.com TEL +1 612 379 2956
 USA TEL 800 343 7475 Canada TEL 855 668 8722 China TEL +86 (21) 52380373
 Europe | Middle East | Africa TEL +44 (0)1235 529449

