

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human TMED1 in direct ELISAs.
Source	Monoclonal Mouse IgG Clone # 1009527
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Human embryonic kidney cell, HEK293 derived human TMED1 Met1-Asn194 Accession # Q13445
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

	Recommended Concentration	Sample
Flow Cytometry	0.25-1 µg/10 ⁶ cells	HEK293 Human Cell Line Transfected with Human TMED-1 and eGFP

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

TMED1 (Transmembrane Emp24 domain-containing protein 1) is a member of the TMED family of proteins (gene name TMED1). The TMED family of proteins are localized to membranes of the early secretory pathway, including the endoplasmic reticulum and Golgi, and function in vesicular protein trafficking (1, 2). TMED1 is a 59 kDa monomer and has been reported to exist as homodimer (3). TMED1 is composed of a 23 amino acid (aa) signal sequence, a 171 aa extra cellular domain, a 21 aa transmembrane domain, and a 12 aa cytoplasmic domain. The extracellular domain contains an 83 aa GOLD (Golgi Dynamics) domain, and COPI and COPII binding motifs are found in the cytoplasmic domain (1-3, 5). Human TMED1 shares 97% sequence identity with mouse, bovine, and rat homologs within the 171 aa extracellular domain. The β-strand-rich GOLD domain has been specifically identified to be involved in intracellular protein trafficking (1, 4, 5). TMED1 is important in regulating innate immune signaling through its interaction with ST2L. Specifically, the GOLD domain in TMED1 interacts with the TIR domain of ST2L, a receptor for IL-33 (1). This interaction promotes ST2L association with IL-33, allowing downstream signaling cascade activating MAP kinases, p38, and JNK (1, 6). Studies have shown knockdown of TMED-1 in HUVECs impairs the IL-33 induced response resulting in reduction of IL-6 and IL-8 productions (1).

References:

- Connolly, D. *et al.* (2013) J Biol Chem. **288**:5616.
- Gour, N. and Lajoie, S. (2018) Curr Allergy Asthma Rep. **16**:65.
- Jenne, N. (2002) J Biol Chem. **277**:46504.
- Anantharaman, V. and Aravind, L. (2002) Genome Biol. **3**:research0023
- Gomez-Navarro, N. and Miller, E. (2016) J Cell Biol. **215**:769.
- Hardman, C. and Ogg, G. (2016). Curr Opin Immunol. **42**:16.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.