

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse TREML1/TLT-1 in ELISAs and Western blots. In ELISAs and Western blots, no cross-reactivity with recombinant human (rh) TREML1 or rhTREML2 is observed.
Source	Monoclonal Rat IgG _{2B} Clone # 268515
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse TREML1/TLT-1 Gly18-Cys178 Accession # NP_082039
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

ELISA Capture (Matched Antibody Pair)	Optimal dilution of this antibody should be experimentally determined.
ELISA Detection (Matched Antibody Pair)	Optimal dilution of this antibody should be experimentally determined.
Western Blot	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Triggering receptor expressed on myeloid cells-like protein 1 (TREML1)/TREM-like transcript-1 (TLT-1) is a 40 kDa type I transmembrane receptor and member of the TREM family of proteins (1). Mouse TREML1/TLT-1 is synthesized as a 317 amino acid (aa) precursor that contains a 20 aa signal sequence, a 155 aa extracellular domain (ECD), a 21 aa transmembrane region, and a 121 aa cytoplasmic domain. The ECD contains an Ig-like V-type domain (aa 21-122), and the cytoplasmic region contains a proline-rich region (aa 245-275) and an immunoreceptor tyrosine-based inhibition motif (ITIM) characterized by the residues S/I/V/LXYYXXV/L (1). A splicing variant produces a second isoform that has a six aa substitution for aa 173 in isoform 1. Mature mouse TREML1/TLT-1 shares 65% aa sequence identity with mature human TREML1/TLT-1. TREML1/TLT-1 is expressed exclusively in megakaryocytes and platelets where it colocalizes with CD62P in α-granules in resting platelets and on the cell surface of platelets activated by thrombin (1-3). The receptor's expression is up-regulated dramatically upon platelet activation (2). Antibodies to single-chain Fv fragments specific for TLT-1 inhibited thrombin-mediated human platelet aggregation suggesting its role in the regulation of aggregation (5). In addition, soluble fragments including the ECD can be released into serum by proteolysis (3). The phosphorylated TREML1/TLT-1 is able to interact with both SHP-1 and SHP-2 through ITIM (1, 4). SHP-2 interaction enhances FcεRI-mediated calcium signaling in rat basophilic leukemia cells (1). It is hypothesized that TREML1/TLT-1 plays a role in the innate and adaptive immune responses.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.