

## Mouse Netrin-G2a Alexa Fluor® 647-conjugated Antibody

Monoclonal Rat IgG<sub>2A</sub> Clone # 349724 Catalog Number: FAB27441R

100 µg

DESCRIPTION		
Species Reactivity	Mouse	
Specificity	Detects mouse Netrin-G2a in direct ELISAs and Western blots. In direct ELISAs and Western blots, no cross-reactivity with recombinant mouse (rm) Netrin-G1a, rmNetrin-1, or rmNetrin-4 is observed.	
Source	Monoclonal Rat IgG <sub>2A</sub> Clone # 349724	
Purification	Protein A or G purified from hybridoma culture supernatant	
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse Netrin-G2a Asp18-Arg504 Accession # NP_598007	
Conjugate	Alexa Fluor 647 Excitation Wavelength: 650 nm Emission Wavelength: 668 nm	
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide	
	*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Shee (SDS) for additional information and handling instructions.	

APPLICATIONS		
Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.		
Western Blot	Optimal dilution of this antibody should be experimentally determined.	
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.	

PREPARATION AND STORAGE		
Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.	
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied	

## **BACKGROUND**

Mouse Netrin-G2a is a member of a GPI-linked Netrin subfamily that is distantly related to classical Netrins. Netrin-G2a is approximately 485 as in length. It contains an N-terminal laminin-related region plus a heparin-binding C-terminus that ends in a GPI-linkage. The laminin-related region shows a globular type VI domain followed by three variable-length EGF-like domains. Alternate splicing generates two larger isoforms. Amino acid insertions of 59 as and 34 as between EGF-like motifs 1 and 2 generate Netrin-G2b and Netrin-G2c, respectively. Mature mouse Netrin-G2a shares 96% and 99% as identity with human Netrin-G2 and the equivalent region in rat Netrin-G2b, respectively.

## PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.

Rev. 9/20/2025 Page 1 of 1