

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse Wnt-5b in direct ELISAs. In direct ELISAs, no cross-reactivity with recombinant mouse Wnt-5a, -8a, -8b, -9b, -10a, -10b, or recombinant human Wnt-7b is observed.
Source	Monoclonal Rat IgG _{2A} Clone # 325004
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant mouse Wnt-5b Ser55-Ser95 and Lys246-Glu315 connected by a Gly-Ser linker Accession # NP_033551
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

Immunocytochemistry Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Wnt proteins are secreted glycoproteins with a conserved pattern of 23-24 cysteine residues that play critical roles in both carcinogenesis and embryonic development. Wnts bind to receptors of the Frizzled family, sometimes in conjunction with other membrane-associated proteins such as LRP6 or proteoglycans. Downstream effects of Wnt signaling occur through different intracellular components, depending on which pathway is activated. Three pathways have been characterized: the canonical Wnt/β-catenin pathway, the Wnt/Ca²⁺ pathway, and the planar cell polarity (1-3). Wnt-5b is a 49 kDa glycoprotein of the subgroup of Wnts that is implicated in the Wnt/Ca²⁺ pathway (3-6). It is not axis-inducing in *Xenopus* embryos and only weakly transforms C57MG mammary epithelial cells. The non-canonical Wnt pathway can inhibit canonical Wnt/β-catenin signaling (3). Mouse Wnt-5b is synthesized as a 359 amino acid (aa) precursor that contains a 17 aa signal sequence and a 342 aa mature region. It is ubiquitously expressed at low but increasing levels throughout embryonic development (4, 5, 7). In adult mice, Wnt-5b is expressed in heart, liver, brain, lung, testes, kidney, and pancreas (4, 8). Wnt-5b appears to promote adipogenesis. It is upregulated in early adipogenesis. Also, Wnt-5b overexpression in 3T3-L1 cells partially inhibits canonical Wnt suppression of adipogenesis (9, 10). Human Wnt-5b polymorphisms have been associated with Type II diabetes (9). Although Wnt-5a and Wnt-5b share 83% aa identity, they show differential expression and regulation of cyclin D1 and p130 during endochondral bone development. Together, they appear to coordinate chondrocyte proliferation and differentiation (11). Mature mouse Wnt-5b shows 94%, 98%, 90%, and 88% aa sequence identity with mature human, rat, chick, and *Xenopus* Wnt-5b, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.