

Mouse S100A8 Alexa Fluor® 594-conjugated Antibody

Monoclonal Rat IgG_{2B} Clone # 335806

Catalog Number: FAB3059T

100 µg

DESCRIPTION		
Species Reactivity	Mouse	
Specificity	Detects mouse S100A8 in direct ELISAs and Western blots. In direct ELISAs and Western blots, 40% cross-reactivity with recombinant human (rh) S100A8 is observed and no cross-reactivity with recombinant mouse (rm) S100A4, rmS100A9, rmS100A10, rmS100A11, rh	
Source	Monoclonal Rat IgG _{2B} Clone # 335806	
Purification	Protein A or G purified from hybridoma culture supernatant	
Immunogen	E. coli-derived recombinant mouse S100A8 Met1-Glu89 (predicted) Accession # P27005	
Conjugate	Alexa Fluor 594 Excitation Wavelength: 590 nm Emission Wavelength: 617 nm	
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide	
	*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS			
Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.			
Western Blot	Optimal dilution of this antibody should be experimentally determined.		
Immunocytochemistry	Optimal dilution of this antibody should be experimentally determined.		

PREPARATION AND STORAGE		
Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.	
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied	

BACKGROUND

Mouse S100A8 (also CP-10, calgranulin A and MRP8) is a 10 kDa member of the S100 family of calcium-binding proteins. The S100A8 protein is 89 amino acids (aa) in length and contains short, sequential modules. There is an N-terminal α -helix, followed by a calcium-binding EF-hand segment, and a C-terminal α -helix. S100A8 will noncovalently heterodimerize with S100A9. In the presence of calcium, this heterodimer will form a heterotetramer. The dimeric complex is both intracellular and extracellular. It binds heparan sulfate and is chemotactic for PMNs and macrophages. Mouse S100A8 shares 80% and 57% aa sequence identity with rat and human S100A8, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.

Rev. 9/21/2025 Page 1 of 1

China | info.cn@bio-techne.com TEL: 400.821.3475