

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse Semaphorin 3F in direct ELISAs. In direct ELISAs, no cross-reactivity with recombinant mouse Semaphorin 3A, 3B, 3C, 3E, 4C, 4D, 4G, recombinant human Semaphorin 3D or 3F is observed.
Source	Monoclonal Rat IgG _{2A} Clone # 741307
Purification	Protein A or G purified from ascites
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse Semaphorin 3F Ala19 Pro775 (Arg583Ala and Arg586Ala) Accession # O88632
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Immunohistochemistry Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Semaphorin 3F (Sema 3F; previously Sema IV) is one of six Class 3 (secreted) semaphorins which in the mouse share 40-50% amino acid (aa) identity. Class 3 semaphorins are potent chemorepellents that function in axon guidance and/or vascular tip cell guidance during development (1). Sema 3F is expressed in the developing nervous system, especially in the dorsal spinal cord (2, 3). In adults, Sema 3F is expressed in the lung and most other tissues (2). Crystal structures of semaphorins reveal that the 500 aa N-terminal Sema domain forms a seven-blade β-propeller similar to that found in integrin molecules. Fourteen conserved cysteine residues and one or more N-glycosylation sites are thought to be critical for forming the secondary structure (4). Isoform A is missing aa 153-183 within the Sema domain relative to the long form (isoform B) but appears to have similar activity. C-terminal to the Sema domain, Sema 3F has a basic domain, a cysteine-knot plexin/semaphorin/integrin (PSI) domain, an Ig-like domain, a cysteine for dimerization and another basic domain at the C-terminus. Dimerization and cleavage at the C-terminus are required for repulsing activity of class 3 semaphorins (5). Mouse Sema 3F shares 96%, 99%, 92%, 97% and 82% aa identity with human, rat, bovine, canine and chick Sema 3F, respectively. Type 3 semaphorins transduce signals through transmembrane plexins, either directly or by binding associated neuropilin receptors. Sema 3F signaling is transduced by type-A plexins, especially Plexin-A3, via interaction with neuropilin-2 (3, 6). Genetic disruption of either Sema 3F or neuropilin-2 alters motor axon trajectory to the ventral forelimb (3). Sema 3F is deleted or downregulated in many metastatic tumors. Restoration of Sema 3F decreases tumorigenicity, vascularization and adhesiveness, most likely through repulsive interactions, VEGF antagonism and downstream integrin regulation (7).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.