

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human Notch-2 intracellular domain (ICD) in direct ELISAs and Western blots. In direct ELISAs and Western blots, this antibody does not cross-react with recombinant human (rh) Notch-1 ICD, recombinant rat (rr) Notch-1 ECD, rrNotch-2 ECD, rhNotch-3
Source	Monoclonal Rat IgG _{2A} Clone # 411801
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant human Notch-2 Asp2063-Pro2413 Accession # Q04721.3
Conjugate	Alexa Fluor 647 Excitation Wavelength: 650 nm Emission Wavelength: 668 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Notch-2 is a 300 kDa member of the Notch family of transmembrane (TM) proteins. It is synthesized as a 2446 amino acid (aa) type I TM glycoprotein that undergoes Golgi processing to generate a 180 kDa disulfide-linked extracellular domain (ECD) (likely aa 25-1538) and a 110 kDa membrane bound truncated segment (likely aa 1539-2471). Upon binding to Delta1, Jagged1, or Jagged2, the 110 kDa segment undergoes two cleavages, the second which generates an NICD (notch intracellular domain) (aa 1697-2471), a potential nuclear transcription factor. In the nucleus, NICD regulates CSL pathways. When NICD is phosphorylated, it is deactivated. Over aa 2063-2413, human Notch-2 is 94% and 89% aa identical to dog and mouse Notch-2, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.