

Mouse Integrin α2b/CD41 Alexa Fluor® 700-conjugated Antibody

Monoclonal Rat IgG_{2A} Clone # 386627 Catalog Number: FAB4118N

100 µg

| DESCRIPTION | |
|--------------------|---|
| Species Reactivity | Mouse |
| Specificity | Detects mouse Integrin α2b/CD41 in direct ELISAs and Western blots. In direct ELISAs and Western blots, this antibody does not cross-react with recombinant mouse Integrin α3, -4, -5, -8, -9, or -11. |
| Source | Monoclonal Rat IgG _{2A} Clone # 386627 |
| Purification | Protein A or G purified from hybridoma culture supernatant |
| Immunogen | Chinese hamster ovary cell line CHO-derived recombinant mouse Integrin α2b/CD41 Leu32-Arg988 Accession # NP_034705 |
| Conjugate | Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm |
| Formulation | Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide |
| | *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions. |

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

China | info.cn@bio-techne.com TEL: 400.821.3475

| PREPARATION AND STORAGE | |
|-------------------------|---|
| Shipping | The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below. |
| Stability & Storage | Protect from light. Do not freeze, 12 months from date of receipt, 2 to 8 °C as supplied |

BACKGROUND

Integrin α 2b (ITGA2b) also known as CD41 and GPIIb, is a transmembrane glycoprotein that is expressed by megakaryocytes and platelets. It is cleaved into two disulfide-linked chains (114 kDa and 22 kDa) during transit through the Golgi. Integrin α 2b associates with Integrin β 3 to form complexes that interact with fibrinogen, von Willebrand factor, fibronectin, and vitronectin. Integrin α 2b is required for platelet aggregation, and defects lead to disorders of coagulation. Within the extracellular domain, mouse Integrin α 2b shares 81% and 89% amino acid sequence identity with human and rat Integrin α 2b, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.

Rev. 9/21/2025 Page 1 of 1