

DESCRIPTION


Species Reactivity	Mouse
Specificity	Detects mouse EphB3 in direct ELISAs and Western blots. In direct ELISAs and Western blots, less than 1% cross-reactivity with recombinant rat EphB1, recombinant mouse (rm) EphA4, rmEphB2, rmEphB4, and rmEphB6 is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse EphB3 Leu30-Thr537 Accession # P54754
Conjugate	Allophycocyanin Excitation Wavelength: 620-650 nm Emission Wavelength: 660-670 nm
Formulation	Supplied in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the [Technical Information](#) section on our website.

	Recommended Concentration	Sample
Flow Cytometry	10 μ L/ 10^6 cells	See Below

DATA



PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. <ul style="list-style-type: none"> ● 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

EphB3, also known as Cek10, Tyro6, Sek4, Hek2, and Mdk5, is a 130 kDa member of the transmembrane Eph receptor tyrosine kinase family. The A and B classes of Eph proteins are distinguished by Ephrin ligand binding preference, but have a common structural organization. Eph-Ephrin interactions are widely involved in the regulation of cell migration, tissue morphogenesis, and cancer progression (1). The 525 amino acid (aa) extracellular domain (ECD) of mature mouse EphB3 contains a ligand binding domain followed by a cysteine rich region and two fibronectin type III domains. The 418 aa cytoplasmic domain contains a tyrosine kinase domain, a sterile alpha motif (SAM), and a PDZ binding motif (2). Within the ECD, mouse EphB3 shares 96% and 99% aa sequence identity with human and rat EphB3, respectively. Binding of EphB3 to its ligands Ephrin-B1, B2, and B3 triggers forward signaling through EphB3 as well as reverse signaling through the Ephrin (1, 3). EphB3 also interacts *in cis* with the receptor tyrosine kinase Ryk (4). Activation of its kinase is required for some but not all of the effects of EphB3 on cellular adhesion, motility, and morphology (5). EphB3 is widely expressed during development and in the adult, where it shows a complementary tissue distribution to the Ephrin-B ligands (6-9). EphB3 function is important in vascular, nervous system, thymocyte, and palate development (6, 7, 10-12). It directs embryonic neuronal axon pathfinding, and its upregulation on local macrophages following neuronal injury promotes the growth of regenerating axons (10, 13). EphB3 inhibits colorectal carcinogenesis and invasion by preventing the migration of tumor cells out of the intestinal crypt (9, 14). EphB3 function is supported by the cooperative action of EphB2 in several of these processes (6, 10-12, 15).

References:

1. Pasquale, E.B. (2008) *Cell* **133**:38.
2. Overman, R.C. *et al.* (2014) *Protein Sci.* **23**:627.
3. Pasquale, E.B. (2004) *Nat. Neurosci.* **7**:417.
4. Trivier, E. and T.S. Ganesan (2002) *J. Biol. Chem.* **277**:23037.
5. Miao, H. *et al.* (2005) *J. Biol. Chem.* **280**:923.
6. Adams, R.H. *et al.* (1999) *Genes Dev.* **13**:295.
7. Krull, C.E. *et al.* (1997) *Curr. Biol.* **7**:571.
8. Willson, C.A. *et al.* (2006) *J. Mol. Histol.* **37**:369.
9. Cortina, C. *et al.* (2007) *Nat. Genet.* **39**:1376.
10. Birgbauer, E. *et al.* (2000) *Development* **127**:1231.
11. Alfaro, D. *et al.* (2008) *Immunology* **125**:131.
12. Risley, M. *et al.* (2009) *Mech. Dev.* **126**:230.
13. Liu, X. *et al.* (2006) *J. Neurosci.* **26**:3087.
14. Battle, E. *et al.* (2005) *Nature* **435**:1126.
15. Holmberg, J. *et al.* (2006) *Cell* **125**:1151.