

DESCRIPTION

Species Reactivity	Rat
Specificity	Detects rat IL-17F in direct ELISAs.
Source	Monoclonal Mouse IgG _{2B} Clone # 716728
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant rat IL-17F Ala27-Ala161 Accession # NP_001015011
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Immunocytochemistry Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Interleukin-17F (also IL-17) is a 19 kDa member of the IL-17 family of cytokines. Members of this family are involved in tissue homeostasis and demonstrate a structural motif termed a cysteine knot that characterizes a large superfamily of growth factors. Although most cysteine knot superfamily members use three intrachain disulfide bonds to create a knot, IL-17 family molecules generate the same structural form with only two disulfide links (1, 2, 3, 4). Based on mouse, mature rat IL-17F is 133 amino acids (aa) in length (5, 6). Rat IL-17F is a presumably secreted, 38 kDa glycosylated disulfide-linked homodimer. It is also secreted as a 35 kDa disulfide-linked heterodimer with IL-17/17A (7, 8). The heterodimeric form represents about 30% of secreted IL-17F. Initially, IL-17F was also reported as IL-24. Since that time, the IL-24 designation has been reassigned to MDA-7, a member of the IL-10 family of molecules (note: IL-17E is synonymous with IL-25). Mature rat IL-17F shares 59% and 90% aa sequence identity with mature human and mouse IL-17F, respectively; it also shares 55% aa identity with rat IL-17. Interspecies studies suggest rat IL-17F is produced by activated Th17-type CD4⁺ T cells, mast cells, basophils and monocytes (1, 3, 9), and is inducible through the interaction of TGF-β, IL-6 and IL-23 (9, 10, 11). Targets for IL-17F include respiratory epithelium, fibroblasts, macrophages and endothelial cells which produce proinflammatory cytokines such as GM-CSF, IL-6, IFN-γ, IP-10, MIP-1α and MCP-1 (2, 6, 12). This activity is found for both homodimeric and heterodimeric forms of IL-17F (7).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.